ELSEVIER

Analytica Chimica Acta 351 (1997) 409–411

ANALYTICA CHIMICA ACTA

Author Index

Aminot, A.
— and Kérouel, R.
Assessment of heat treatment for nutrient preservation in seawater samples 299
Arranz, A.
—, Fdz. de Betoño, S., Moreda, J.M., Cid, A. and Arranz, J.F.
Voltammetric behaviour of the antimycotic terbinafine at the hanging mercury drop electrode 97
Arranz, J.F., see Arranz, A. 97

Barbosa, J.
—, Fonrodona, G., Marqués, I., Sanz-Nebot, V. and Toro, I.
Solvent effects on protonation equilibria of peptides and quinolones by factor analysis applied to the correlation between dissociation constants and solvatochromic parameters in acetonitrile–water mixtures 397
Bartrol, J., see Jiménez, C. 169
Bayona, J.M., see Dachs, J. 377
Bekkers, M., see Dane, A.D. 359
Branica, M., see Pižeta, I. 73
Britz, H.E., see van Staden, J.F. 281
Buydens, L.M.C., see Dane, A.D. 359

Campiglia, A.D.
—, Moreau, F., Hueber, D.M. and Vo-Dinh, T.
Phosphorescence imaging system using an acousto-optic filter-based charge coupled device 229
Cerdà, A.
—, Oms, M.T., Forteza, R. and Cerdà, V.
Total nitrogen determination by flow injection using on-line microwave-assisted digestion 273
Cerdà, V., see Cerdà, A. 273
Chang, W.H.
—, Lee, A.W.M., Lam, Y.S. and Wang, K.M.
Fluorescent sensor based on newly synthesized fluorescein octadecyl ether octadecyl ester (FODEE) for direct determination of phenols in aqueous solutions 197
Chaumery, C.J., see Riso, R.D. 83
Cid, A., see Arranz, A. 97
Cui, H., see He, C. 241

D'Orazio, M.
— and Tonarini, S.
Simultaneous determination of neodymium and samarium in silicate rocks and minerals by isotope dilution inductively coupled plasma mass spectrometry: Results on twenty geochemical reference samples 325
Dachs, J.
—, Fernández, I. and Bayona, J.M.
Combined experimental design and information theory for the optimization of supercritical fluid extraction of organic priority pollutants from sediment 377
Dane, A.D.
—, Janssen, F.E.D.O.R., van Sprang, H.A., Bekkers, M. and Buydens, L.M.C.
A knowledge-controlled method for sequential wavelength-dispersive X-ray spectrometry: a feasibility study 359
de Rooij, N.F., see Jiménez, C. 169

El-Bahnasawy, R.M., see Hassan, S.S.M. 91
Eom, T.Y., see Lee, C.H. 57

Fdz. de Betoño, S., see Arranz, A. 97
Fernández, I., see Dachs, J. 377
Ferreira, V.S.
—, Zanoni, M.V.B., Furlan, M. and Fogg, A.G.
Differential pulse polarographic determination of ceftazidime in urine samples with and without prior extraction 105
Fogg, A.G., see Ferreira, V.S. 105
Fonrodona, G., see Barbosa, J. 397
Forteza, R., see Cerdà, A. 273
Fujikura, T.
—, Sakamoto, K. and Shimozawa, J.T.
The development of the significant peak selection method using the mutual information and its completeness 387
Furlan, M., see Ferreira, V.S. 105

Gámiz-Gracia, L., see Luque de Castro, M.D. 23
Garland, M.
—, Visser, E., Terwiesch, P. and Rippin, D.W.T.
On the number of observable species, observable reactions and observable fluxes in chemometric studies and the role of multichannel integration 337
Gartu, P.O., see Male, K.B. 159
Georgiou, C.A., see Nouros, P.G. 291
Gong, Z.
— and Zhang, Z.
Determination of tetracyclines with a modified β-cyclodextrin based fluorosensor 205
Guo, S., see Khoo, S.B. 133

Hasebe, Y., see Uchiyama, S. 259

Hassan, S.S.M.
—, El-Bahnasawy, R.M. and Rizk, N.M.
Potentiometric determination of salicylhydroxamic acid (urinary struvite stone inhibitor) based on the inhibition of urease activity 91
He, C.
—, Cui, H. and Zhao, G.
The determination of chlorogenic acid in cigarettes by inhibited chemiluminescence analysis 241
Hill, S.J., see Nickson, R.A. 311
Hsieh, Y.-Z., see Huang, H.-Y. 49
Huang, H.-Y.
— and Hsieh, Y.-Z.
Determination of puerarin, daidzein, paeoniflorin, cinnamic acid, glycyrrhizin, ephedrine, and [6]-gingerol in Ge-gen-tang by micellar electrokinetic chromatography 49
Hueber, D.M., see Campiglia, A.D. 229
Hurtubise, R.J.
Solid-matrix luminescence analysis: photophysics, physicochemical interactions and applications 1

Ishikawa, T., see Uchiyama, S. 259

Janssen, F.E.D.O.R., see Dane, A.D. 359
Jiménez, C.
—, Bartrol, J., de Rooij, N.F. and Koudelka-Hep, M.
Use of photopolymerizable membranes based on polyacrylamide hydrogels for enzymatic microsensor construction 169
Joe, K.S., see Lee, C.H. 57

Kamen, A.A., see Male, K.B. 159
Karst, U., see Zurek, G. 247
Kérouel, R., see Aminot, A. 299
Khan, G.F.
— and Wernet, W.
A highly sensitive amperometric creatinine sensor 151
Khoo, S.B.
—, Yap, M.G.S., Huang, Y.L. and Guo, S.
Electrocatalytic oxidation of H_2O_2 at an oxycobalt film modified glassy carbon electrode for fermentation monitoring 133
Kissinger, P.T., see Pfeiffer, D. 127
Koncki, R.
— and Mascini, M.
Screen-printed ruthenium dioxide electrodes for pH measurements 143
Koudelka-Hep, M., see Jiménez, C. 169
Kubota, T.
— and Okutani, T.
Determination of selenium content in natural water by graphite furnace atomic absorption spectrometry after preconcentration with molybdate-form anion exchange resin 319

Lam, Y.S., see Chan, W.H. 197
Lapa, R.A.S.
—, Lima, J.L.F.C., Reis, B.F., Santos, J.L.M. and Zagatto, E.A.G.
Photochemical-fluorimetric determination of folic acid in a multicommutated flow system 223
Le Corre, P., see Riso, R.D. 83
Lee, A.W.M., see Chan, W.H. 197
Lee, C.H.
—, Suh, M.Y., Joe, K.S., Eom, T.Y. and Lee, W.
A chelating resin containing 4-(2-thiazolylazo)resorcinol as the functional group. Chromatographic application to the preconcentration and separation of some trace metal ions including uranium 57
Lee, W., see Lee, C.H. 57
Liang Huang, Y., see Khoo, S.B. 133
Lima, J.L.F.C., see Lapa, R.A.S. 223
Luong, J.H.T., see Male, K.B. 159
Luque de Castro, M.D.
— and Gámiz-Gracia, L.
Miniaturisation: a well-defined trend in separation and preconcentration techniques 23

Male, K.B.
—, Gartu, P.O., Kamen, A.A. and Luong, J.H.T.
A flow-injection (FI) mediated biosensor for on-line monitoring of lactate in mammalian cell culture 159
Marqués, I., see Barbosa, J. 397
Mascini, M., see Koncki, R. 143
Matthews, G.P., see McKelvie, I.D. 265
McKelvie, I.D.
—, Peat, D.M.W., Matthews, G.P. and Worsfold, P.J.
Elimination of the Schlieren effect in the determination of reactive phosphorus in estuarine waters by flow-injection analysis 265
Mohr, G.J.
— and Spichiger-Keller, U.E.
Novel fluorescent sensor membranes for alcohols based on p-*N*,*N*-dioctylamino-4′-trifluoroacetylstilbene 189
Moreau, F., see Campiglia, A.D. 229
Moreda, J.M., see Arranz, A. 97

Nickson, R.A.
—, Hill, S.J. and Worsfold, P.J.
Behaviour of matrix cations (Ca^{2+}, K^+, Mg^{2+} and Na^+) during on-line preconcentration and atomic spectrometric detection of trace metals in natural waters 311
Nishimoto, J., see Uchiyama, S. 259
Nouros, P.G.
—, Georgiou, C.A. and Polissiou, M.G.
Automated flow injection spectrophotometric non-aqueous titrimetric determination of the free fatty acid content of olive oil 291

Okutani, T., see Kubota, T. 319
Oms, M.T., see Cerdà, A. 273
Osteryoung, J.G.
— and Wikiel, K.J.
Determination of salmon calcitonin by square wave adsorptive stripping voltammetry 65

Padarauskas, A., see Pozdniakova, S. 41
Paliteiro, C., see Redinha, J.S. 115
Peat, D.M.W., see McKelvie, I.D. 265

Pereira, J.L.C., see Redinha, J.S. 115
Pfeiffer, D.
—, Yang, L., Scheller, F.W. and Kissinger, P.T.
Continuous measurement of lactate in microdialysate 127
Pižeta, I.
— and Branica, M.
Simulation and fitting of anodic stripping voltammetry data for determination of the metal complexing capacity 73
Polissiou, M.G., see Nouros, P.G. 291
Pozdniakova, S.
—, Padarauskas, A. and Schwedt, G.
Simultaneous determination of iron(II) and iron(III) in water by capillary electrophoresis 41

Redinha, J.S.
—, Paliteiro, C. and Pereira, J.L.C.
Determination of sulfide by square-wave polarography 115
Reis, B.F., see Lapa, R.A.S. 223
Rippin, D.W.T., see Garland, M. 337
Riso, R.D.
—, Corre, P.L. and Chaumery, C.J.
Rapid and simultaneous analysis of trace metals (Cu, Pb and Cd) in seawater by potentiometric stripping analysis 83
Rizk, N.M., see Hassan, S.S.M. 91

Sabry, S.M.
Application of computerized compensation method to derivative synchronous spectrofluorimetry. Analysis of floctafenine and floctafenic acid in plasma 211
Sakamoto, K., see Fujikura, T. 387
Santos, J.L.M., see Lapa, R.A.S. 223
Sanz-Nebot, V., see Barbosa, J. 397
Scheller, F.W., see Pfeiffer, D. 127
Schwedt, G., see Pozdniakova, S. 41
Shimozawa, J.T., see Fujikura, T. 387
Spichiger-Keller, U.E., see Mohr, G.J. 189
Suh, M.Y., see Lee, C.H. 57

Terwiesch, P., see Garland, M. 337
Tonarini, S., see D'Orazio, M. 325
Toro, I., see Barbosa, J. 397

Uchiyama, S.
—, Hasebe, Y., Ishikawa, T. and Nishimoto, J.
Formation of a stable adduct between 1,2-benzoquinone and dimethylamine and its application to the spectrophotometric determination of 1,2-benzoquinone 259

van Sprang, H.A., see Dane, A.D. 359
van Staden, J.F.
— and Britz, H.E.
Flow injection spectrophotometric determination of total carbonyls in hydrocarbons by reaction with vanillin 281
Visser, E., see Garland, M. 337
Vo-Dinh, T., see Campiglia, A.D. 229

Wang, K.M., see Chan, W.H. 197
Wernet, W., see Khan, G.F. 151
Wikiel, K.J., see Osteryoung, J.G. 65
Worsfold, P.J., see McKelvie, I.D. 265
Worsfold, P.J., see Nickson, R.A. 311

Yang, L., see Pfeiffer, D. 127
Yang, M.
—, Yau, H.C.M. and Zhu, W.
Response of a thickness-shear mode quartz crystal resonator upon hydrogel formation 177
Yap, M.G.S., see Khoo, S.B. 133
Yau, H.C.M., see Yang, M. 177

Zagatto, E.A.G., see Lapa, R.A.S. 223
Zanoni, M.V.B., see Ferreira, V.S. 105
Zhang, Z., see Gong, Z. 205
Zhao, G., see He, C. 241
Zhu, W., see Yang, M. 177
Zurek, G.
— and Karst, U.
Microplate photometric determination of aldehydes in disinfectant solutions 247